

## EAST Search History

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
S1	1925	375/340.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/06/04 11:06
S2	1499	375/340.ccls. and @ad<"20030630"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/06/07 09:32
S3	221	((modulat\$4 near (format or mode or standard)) same (data rate)) and (adc or (analog near1 digital near convert\$4))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/06/08 13:41
S4	155	((modulat\$4 near (format or mode or standard)) same (data rate)) and (adc or (analog near1 digital near convert\$4)) and @ad<"20030630"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/05/23 17:38
S5	5	((different or multipl\$3 or many or plural\$4) near1 modulat\$4 near (format or mode or standard)) same (data rate)) and (adc or (analog near1 digital near convert\$4)) and @ad<"20030630"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/05/23 17:42
S6	2	((different or multipl\$3 or many or plural\$4) near1 modulat\$4 near (format or mode or standard)) same (rate near convert\$4)) and (adc or (analog near1 digital near convert\$4)) and @ad<"20030630"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/05/23 17:46
S7	10	((different or multipl\$3 or many or plural\$4) near1 modulat\$4 near (format or mode or standard)) and (rate near convert\$4)) and (adc or (analog near1 digital near convert\$4)) and @ad<"20030630"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/05/30 18:29
S8	120	(down near convert\$4) same (adc or (analog near digital near convert\$4)) and (data near rate) and (modulat\$4 near (mode or format or standar\$4)) and @ad<"20030630"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/05/30 18:32

## EAST Search History

S9	21	(down near convert\$4) same (adc or (analog near digital near convert\$4)) and ((data near rate) same (modulat\$4 near (mode or format or standar\$4))) and @ad<"20030630"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/05/30 18:36
S11	5	(down near convert\$4) same (adc or (analog near digital near convert\$4)) and ((data near rate) and ((differen\$3 or seperat\$3 or many or multipl\$3 or plural\$4) near2 modulat\$4 near (mode or format or standar\$4))) and @ad<"20030630"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/05/30 19:08
S12	5	(down near convert\$4) same (adc or (analog near digital near convert\$4)) and ((data near rate) and ((differen\$3 or seperat\$3 or many or multipl\$3 or plural\$4 or various) near2 modulat\$4 near (mode or format or standar\$4))) and @ad<"20030630"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/05/30 19:09
S13	5	(down near convert\$4) same (adc or (analog near digital near convert\$4)) and ((data near rate) and ((differen\$3 or seperat\$3 or many or multipl\$3 or plural\$4 or various) near2 (modulat\$4) near (mode or format\$3 or standar\$4))) and @ad<"20030630"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/05/30 19:11
S14	6	(down near convert\$4) same (adc or (analog near digital near convert\$4)) and ((differen\$3 or seperat\$3 or many or multipl\$3 or plural\$4 or various) near2 (modulat\$4) near (mode or format\$3 or standar\$4)) and "375"/.cccls. and @ad<"20030630"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/05/31 11:38
S15	1	((down near convert\$4) or (base near band) or (base-band)) same (adc or (analog near digital near convert\$4)) and ((differen\$3 or seperat\$3 or many or multipl\$3 or plural\$4 or various) near2 (modulat\$4) near (mode or format\$3 or standar\$4)) and (wireless near rec\$6) and @ad<"20030630"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/06/06 15:11

## EAST Search History

S16	2	((down near convert\$4) or (base near band) or (base-band)) and (adc or (analog near digital near convert\$4)) and ((differen\$3 or seperat\$3 or many or multipl\$3 or plural\$4 or various) near2 (modulat\$4) near (mode or format\$3 or standar\$4)) and (wireless near rec\$6) and @ad<"20030630"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/05/31 11:54
S17	64	((down near convert\$4) or (base near band) or (base-band)) and (adc or (analog near digital near convert\$4)) and ((differen\$3 or seperat\$3 or many or multipl\$3 or plural\$4 or various) near2 (modulat\$4) near (mode or format\$3 or standar\$4 or method)) and (data near rate) and @ad<"20030630"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/05/31 15:38
S18	489	common near (adc or a/d or (analog near1 digital near convert\$4))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/06/04 14:34
S19	380	common near (adc or a/d or (analog near1 digital near convert\$4)) and @ad<"20030630"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/06/04 14:45
S20	47	common near (adc or a/d or (analog near1 digital near convert\$4)) and @ad<"20030630" and (data rate) and (format or mode or standard)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/06/04 17:31
S21	2	common near (adc or a/d or (analog near1 digital near convert\$4)) and @ad<"20030630" and (data rate) and (format or mode or standard) and rate near convert\$4	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/06/04 17:32
S22	39	(mode near detection) same (decimat\$4 or (rate near conver\$5))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/06/06 11:24

## EAST Search History

S23	45	(mode near detect\$4) same (decimat\$4 or (rate near (convers\$5 or convert\$4))) and @ad<"20030630"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/06/06 11:31
S24	13	(mode near detect\$4) same (decimat\$4 or (rate near (convers\$5 or convert\$4))) and (data near rate) and @ad<"20030630"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/06/06 11:59
S25	20128	(mode near detect\$4) and @ad<"20030630"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/06/06 11:59
S26	14178	(mode detect\$4) and @ad<"20030630"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/06/06 11:59
S27	342	(mode detect\$4) and @ad<"20030630" and "375"/.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/06/06 12:01
S28	94	(mode detect\$4) and (data rate) and @ad<"20030630" and "375"/.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/06/06 12:07
S29	247	((differen\$3 or seperat\$3 or many or multipl\$3 or plural\$4 or various) near2 (modulat\$4) near (mode or format\$3 or standar\$4)) and (data rate) and @ad<"20030630"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/06/07 10:01
S30	2	((differen\$3 or seperat\$3 or many or multipl\$3 or plural\$4 or various) near (modulat\$4) near (mode or format\$3 or standar\$4)) and (data rate) and (mode detect\$4) and @ad<"20030630"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/06/06 15:25

## EAST Search History

S31	2	((differen\$3 or seperat\$3 or many or multipl\$3 or plural\$4 or various) near (modulat\$4) near (mode or format\$3 or standar\$4)) and (data rate) and (mode near detect\$4) and @ad<"20030630"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/06/06 16:02
S32	3	((differen\$3 or seperat\$3 or many or multipl\$3 or plural\$4 or various) near (modulat\$4) near (mode or format\$3 or standar\$4)) and ((data rate) or (sampl\$4 rate) or (digiti\$4 rate)) and (mode near detect\$4) and @ad<"20030630"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/06/06 16:07
S34	2	us-5313631-\$.did.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/06/06 16:11
S35	2	us-7164731-\$.did.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/06/06 16:11
S36	87	375/340.ccls. and @ad<"20030630" and (power near control)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/06/07 09:40
S37	1316	@ad<"20030630" and (power near control near modul\$3)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/06/07 09:41
S38	1	@ad<"20030630" and (power near control near modul\$3) and (base near band near3 modul\$3)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/06/07 09:43
S39	7	@ad<"20030630" and (power near control near modul\$3) and (base near band)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/06/07 09:52

## EAST Search History

S40	5097	@ad<"20030630" and (power near control\$3) and ((baseband) or (base-band) or (base band))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/06/07 09:55
S41	1037	@ad<"20030630" and ((power near control\$3) same ((baseband) or (base-band) or (base band)))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/06/07 09:56
S42	551	@ad<"20030630" and ((power near control\$3) same ((baseband) or (base-band) or (base band)) and (mode))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/06/07 10:41
S43	68	((differen\$3 or seperat\$3 or many or multipl\$3 or plural\$4 or various) near2 (modulat\$4) near (mode or format\$3 or standar\$4)) and (data rate) and (power near contro\$4) and @ad<"20030630"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/06/07 10:32
S44	1494	((differen\$3 or seperat\$3 or many or multipl\$3 or plural\$4 or various) near (mode or format\$3 or standar\$4)) and (data rate) and (power near (contro\$4 or sav\$3)) and @ad<"20030630"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/06/07 10:40
S45	3	@ad<"20030630" and ((power near (control\$3 or sav\$3) near mod\$5) same (((baseband) or (base-band) or (base band)) near mod\$4) and (mode))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/06/07 10:44
S46	6	@ad<"20030630" and ((power near (control\$3 or sav\$3) near mod\$5) same (((baseband) or (base-band) or (base band)) near2 mod\$4) and (mode))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/06/07 10:46
S47	6	@ad<"20030630" and ((power near (control\$3 or sav\$3) near mod\$5) same ((baseband) or (base-band) or (base band)) near2 mod\$4)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/06/07 11:03

## EAST Search History

S48	45	@ad<"20030630" and (((power near (control\$3 or sav\$3) near mod\$5) or (agc)) same ((baseband) or (base-band) or (base band)) near2 mod\$4)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/06/08 09:12
S49	111	@ad<"20030630" and (((power near (control\$3 or sav\$3)) or (agc)) same ((baseband) or (base-band) or (base band)) near2 mod\$4)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/06/07 17:33
S50	21	((modulat\$4 near (format or mode or standard)) same (power (contro\$4 or sav\$4))) and (adc or (analog near1 digital near convert\$4)) and @ad<"20030630"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/06/07 17:08
S51	491	common near (adc or a/d or (analog near1 digital near convert\$4))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/06/07 17:33
S52	45	(power near (control\$3 or sav\$3)) and S51	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/06/07 17:35
S53	23	(power near (control\$3 or sav\$3)) and S51 and @ad<"20030630"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/06/07 17:49
S54	33	((power near (control\$3 or sav\$3)) same ((base near band) or (base-band)) same (mode)) and @ad<"20030630"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/06/07 17:53
S55	1	@ad<"20030630" and (((power near (control\$3 or sav\$3) near mod\$5)) with ((baseband) or (base-band) or (base band)) near2 proces\$5 near mod\$4)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/06/08 09:13

## EAST Search History

S56	2	((modulat\$4 near (format or mode or standard)) same (data rate)) and (adc or (analog near1 digital near convert\$4)) and (aci or (adja\$4 near channe\$3 near interfe\$4))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/06/08 13:42
S57	23	farrow near interpolat\$4	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/06/08 14:54
S58	11	farrow near interpolat\$4 and @ad<"20030630" and ((baseband) or (base-band) or (base band))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/06/08 13:54